2-Acetamidofluorene SDS/MSDS (Safety Data Sheet)

1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

* Product Name: 2-Acetamidofluorene
* Catalog Number: E0197
* CAS Number: 53-96-3
* IUPAC Name: Acetamide, N-9H-fluoren-2-yl-

Relevant identified uses and uses advised against

* Identified uses: For research and development use only; laboratory chemicals; manufacture of substances.
* Uses advised against: Not for pharmaceutical, household, or other unapproved uses.

Details of the supplier

* Company: Selleck Chemicals
* TollFree: +1 877 796-6397
* Tel: +1 832 582-8158
* Fax: +1 832 582-8590

Emergency telephone number

* Emergency phone #: +1 832 582-8158

2. HAZARDS IDENTIFICATION

2.1 GHS classification in accordance with 29 CFR 1910 (OSHA HCS):

Acute toxicity (oral): Category 4. H302

Carcinogenicity: Category 1. H350

2.2 GHS Label elements, including precautionary statements

Hazard Pictogram(s)	
Signal Word	Danger
Hazard statement(s)	H302: Harmful if swallowed H350: May cause cancer
Precautionary statement(s)	None.
Prevention	P203: Obtain, read and follow all safety instructions before use. P264: Wash hands thoroughly after handling. P270: Do not eat, drink or smoke when using this product. P280: Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

Response	P301+P317: IF SWALLOWED: Get medical help. P318: if exposed or concerned, get medical advice. P330: Rinse mouth.
Storage	P405: Store locked up.
Disposal	P501: P501 Dispose of contents/ container to an approved waste disposal plant.

2.3 Other hazards

None.

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Product name: 2-Acetamidofluorene

CAS Number: 53-96-3

PubChem CID: 5897

Molecular formula: C15H13NO

Molecular weight: 223.27 g/mol

IUPAC name: N-(9H-fluoren-2-yl)acetamide

3.2 Mixtures

Not applicable (pure substance).

4. FIRST-AID MEASURES

4.1 Description of first aid measures

Inhalation: INHALATION: IMMEDIATELY leave the contaminated area; take deep breaths of fresh air. IMMEDIATELY call a physician and be prepared to transport the victim to a hospital even if no symptoms (such as wheezing, coughing, shortness of breath, or burning in the mouth, throat, or chest) develop. Provide proper respiratory protection to rescuers entering an unknown atmosphere. Whenever possible, Self-Contained Breathing Apparatus (SCBA) should be used; if not available, use a level of protection greater

Skin contact: SKIN: IMMEDIATELY flood affected skin with water while removing and isolating all contaminated clothing. Gently wash all affected skin areas thoroughly with soap and water. IMMEDIATELY call a hospital or poison control center even if no symptoms (such as redness or irritation) develop. IMMEDIATELY transport the victim to a hospital for treatment after washing the affected areas.

Eye contact: EYES: First check the victim for contact lenses and remove if present. Flush victim's eyes with water or normal saline solution for 20 to 30 minutes while simultaneously calling a hospital or poison control center. Do not put any ointments, oils, or medication in the victim's eyes without specific instructions from a physician. IMMEDIATELY transport the victim after flushing eyes to a hospital even if no symptoms (such as redness or irritation) develop.

Ingestion: INGESTION: DO NOT INDUCE VOMITING. If the victim is conscious and not convulsing, give 1 or 2 glasses of water to dilute the chemical and IMMEDIATELY call a hospital or poison control center. Be prepared to transport the victim to a hospital if advised by a physician. If the victim is convulsing or unconscious, do not give anything by mouth, ensure that the victim's airway is open and lay the victim on his/her side with the head lower than the body. DO NOT INDUCE VOMITING. IMMEDIATELY transport

4.2 Most important symptoms and effects, both acute and delayed

See Section 11 (Toxicological Information).

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Contact a poison control center or physician for severe exposure.

5. FIRE-FIGHTING MEASURES

5.1 Extinguishing media

Suitable: Water spray, dry chemical, carbon dioxide (CO2), alcohol-resistant foam.

Unsuitable: None known.

5.2 Specific hazards arising from the substance or mixture

Fires involving this material can be controlled with a dry chemical, carbon dioxide or Halon extinguisher. (NTP, 1992)

5.3 Advice for firefighters

Wear self-contained breathing apparatus (SCBA) and full protective clothing.

Fight fire from upwind. Cool containers with water spray until fire is extinguished.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Wear appropriate personal protective equipment (see Section 8).

Avoid breathing dust/vapor. Ensure adequate ventilation.

Evacuate personnel to safe areas. Keep people away from and upwind of spill.

6.2 Environmental precautions

Prevent product from entering drains, waterways, or soil.

Contain spill with inert absorbent material.

6.3 Methods and materials for containment and cleaning up

Excerpt from ERG Guide 171 [Substances (Low to Moderate Hazard)]:

IMMEDIATE PRECAUTIONARY MEASURE: Isolate spill or leak area in all directions for at least 50 meters (150 feet) for liquids and at least 25 meters (75 feet) for solids.

SPILL: Increase the immediate precautionary measure distance, in the downwind direction, as necessary.

FIRE: If tank, rail tank car or highway tank is involved in a fire, ISOLATE for 800 meters (1/2 mile) in all directions; also, consider initial evacuation for 800 meters (1/2 mile) in all directions. (ERG, 2024)

SRP: Wastewater from contaminant suppression, cleaning of protective clothing/equipment, or contaminated sites should be contained and evaluated for subject chemical or decomposition product concentrations. Concentrations shall be lower than applicable environmental discharge or disposal criteria. Alternatively, pretreatment and/or discharge to a permitted wastewater treatment facility is acceptable only after review by the governing authority and assurance that "pass through" violations will not occur. Due consideration shall be given to remediation worker exposure (inhalation, dermal and ingestion) as well as fate during treatment, transfer and disposal. If it is not practicable to manage the chemical in this fashion, it must be evaluated in accordance with EPA 40 CFR Part 261, specifically Subpart B, in order to determine the appropriate local, state and federal requirements for disposal.

Generators of waste (equal to or greater than 100 kg/mo) containing this contaminant, EPA hazardous waste number U005, must conform with USEPA regulations in storage, transportation, treatment and disposal of waste.[

A potential candidate for rotary kiln incineration at a temperature range of 820 to 1,600 °C and residence times of seconds for liquids and gases, and hours for solids. A potential candidate for fluidized bed incineration at a temperature range of 450 to 980 °C and residence times of seconds for liquids and gases, and longer for solids.

SRP: Contaminated protective clothing should be segregated in such a manner so that there is no direct personal contact by personnel who handle, dispose, or clean the clothing. The completeness of the cleaning procedures should be considered before the decontaminated protective clothing is returned for reuse by the workers. Contaminated clothing should not be taken home at the end of shift, but should remain at employee's place of work for cleaning.

The worker should immediately wash the skin when it becomes contaminated.

The worker should wash daily at the end of each work shift, and prior to eating, drinking, smoking, etc.

Work clothing that becomes wet or significantly contaminated should be removed and replaced.

Workers whose clothing may have become contaminated should change into uncontaminated clothing before leaving the work premises.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

SMALL SPILLS AND LEAKAGE: In cleanup of leaks or spills outside the laboratory hood, maintenance or repair operations on contaminated systems or equipment, where direct contact with this compound could result, each person entering that area should be provided with and required to wear, clean impervious garments, including gloves, boots and continuous air supplied hood-style respirator. To perform cleanup FIRST REMOVE ALL SOURCES OF IGNITION, then you should dampen the solid spill material with 60-70% ethanol and transfer the dampened material to a suitable container. Use absorbent paper dampened with 60-70% ethanol to pick up any remaining material. Seal the absorbent paper, and any of your clothes, which may be contaminated, in a vapor-tight plastic bag for eventual disposal. Solvent wash all contaminated surfaces with 60-70% ethanol followed by washing with a soap and water solution. Do not reenter the contaminated area until the Safety Officer (or other responsible person) has verified that the area has been properly cleaned.

STORAGE PRECAUTIONS: You should store this chemical at ambient temperatures, and keep it away from oxidizing materials. (NTP, 1992)

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry, well-ventilated area. Keep container tightly closed.

Store away from incompatible materials (see Section 10).

Protect from light and moisture.

Recommended storage (industry convention for research compounds): -20°C for long-term storage; 2-8°C for short-term use and transport.

[Note: This is a general industry recommendation. Always verify exact storage conditions with the supplier Certificate of Analysis (COA).]

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Exposure controls

8.1.1 Occupational exposure limits (OEL)

OSHA PEL: Not established.

ACGIH TLV: Not established.

NIOSH REL: Not established.

No occupational exposure limit values are established for this substance.

Use the lowest feasible exposure level (ALARA principle).

8.1.2 Appropriate engineering controls

Use in a well-ventilated area. Chemical fume hood recommended for powder handling.

8.2 Individual protection measures

8.2.1 Eye/face protection

Wear safety glasses with side shields.

8.2.2 Skin protection

Wear protective gloves. Recommended material: Nitrile rubber.

Wear suitable protective clothing (lab coat).

8.2.3 Respiratory protection

Respiratory protection usually not required under normal use with adequate ventilation.

Use N95 respirator for large-scale powder handling.

8.2.4 Thermal hazards

Not applicable.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

a) Appearance: 2-acetylaminofluorene appears as white powder or light beige solid. (NTP, 1992)

b) Odor: No data available

c) Odor threshold: No data available

d) pH: No data available

e) Melting point/freezing point: 381 °F (NTP, 1992)

f) Initial boiling point and boiling range: No data available

g) Flash point: No data available

h) Evaporation rate: No data available

i) Flammability (solid, gas): No data available

j) Upper/lower flammability or explosive limits: No data available

k) Vapor pressure: 0.00023 mmHg at 212 °F (NTP, 1992)

l) Vapor density: No data available

m) Relative density: No data available

n) Water solubility: less than 1 mg/mL at 68.9 °F (NTP, 1992)

o) Partition coefficient: n-octanol/water: Log P (n-octanol/water): 3.3

p) Auto-ignition temperature: No data available

q) Decomposition temperature: No data available

r) Viscosity: No data available

s) Explosive properties: No data available

t) Oxidizing properties: No data available

9.2 Other information

Topological Polar Surface Area (TPSA): 29.1 Å²

Complexity: 301

10. STABILITY AND REACTIVITY

10.1 Reactivity

No specific reactivity hazards identified under normal handling conditions.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions under normal conditions.

10.4 Conditions to avoid

Avoid heat, sparks, open flames, direct sunlight, and moisture.

Avoid strong oxidizing agents, strong acids, and strong bases.

10.5 Incompatible materials

None reported

10.6 Hazardous decomposition products

Thermal decomposition may produce: Carbon monoxide (CO), Carbon dioxide (CO□), Nitrogen oxides (NOx).

See also Section 5 (Fire-fighting measures) for combustion products.

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity:

No acute toxicity data available.

Skin corrosion/irritation:

No data available.

Serious eye damage/eye irritation:

No data available.

Respiratory or skin sensitization:

No data available.

Germ cell mutagenicity:

No data available.

Carcinogenicity:

May cause cancer (H350).

Reproductive toxicity:

No data available.

Specific target organ toxicity (single exposure):

No data available.

Specific target organ toxicity (repeated exposure):

No data available.

Aspiration hazard:

No data available.

11.2 Additional information

Carcinogen classification:

2-Acetylaminofluorene: reasonably anticipated to be a human carcinogen.

Exposure routes:

inhalation, skin absorption, ingestion, skin and/or eye contact

Signs and symptoms of exposure:

Reduced function of liver, kidneys, bladder, pancreas; [potential occupational carcinogen]

Data source: Hazardous Substances Data Bank (HSDB) via PubChem.

12. ECOLOGICAL INFORMATION

12.1 Toxicity

EC50; Species: Xenopus laevis (African Clawed Frog) embryo; Conditions: freshwater, renewal, 23 °C; Concentration: 6900 ug/L for 96 hr (95% confidence interval: 6500-7300 ug/L); Effect: abnormal development, malformations /100% purity formulation/

LC50; Species: Xenopus laevis (African Clawed Frog) embryo; Conditions: freshwater, renewal, 23 °C; Concentration: 87000 ug/L for 96 hr (95% confidence interval: 84000-89000 ug/L) /100% purity formulation/

1.40e-01

6.00e-01

2.20e-03

9.40e-03

1.60e-02

7.5e-05

3.80e+00

1.30e-03

Volatile

1

0.1

1.40e+01

6.00e+01

2.20e-01

9.40e-01

1.60e+00

3.80e+00

1.30e-03

Volatile

1

0.1

2-Acetylaminofluorene's production and use in cancer research may result in its release to the environment through various waste streams. If released to air, an estimated vapor pressure of 2.9X10-5 mm Hg at 25 °C indicates 2-acetylaminofluorene will exist in both the vapor and particulate phases in the atmosphere. Vapor-phase 2-acetylaminofluorene will be degraded in the atmosphere by reaction with photochemically-produced hydroxyl radicals; the half-life for this reaction in air is estimated to be 5 hours. Particulate-phase 2-acetylaminofluorene will be removed from the atmosphere by wet or dry deposition. 2-Acetylaminofluorene absorbs at wavelengths >290 nm and therefore may be susceptible to direct photolysis by sunlight. If released to soil, 2-acetylaminofluorene is

expected to have low mobility based upon a log Koc value of 3.14, corresponding to a Koc of 1380. Vol

12.2 Persistence and degradability

No data available.

12.3 Bioaccumulative potential

Log P (n-octanol/water): 3.3

Potential for bioaccumulation exists (Log P > 3).

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available.

12.6 Other adverse effects

No other adverse ecological effects identified.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Waste Treatment Methods: Waste material must be disposed of in accordance with national and local regulations. Leave chemicals in original containers and do not mix with other waste. Handle uncleaned containers in the same manner as the product itself.

14. TRANSPORT INFORMATION

14.1 UN number

Not regulated as dangerous goods (research quantities typically exempt).

14.2 UN proper shipping name

Not subject to transport regulations (small quantities for research use).

14.3 Transport hazard class(es)

Not classified as dangerous goods for transport (research quantities).

DOT label: Class 9

14.4 Packing group

Not applicable (not regulated as dangerous goods in typical research quantities).

14.5 Environmental hazards

Marine pollutant: No (not classified as environmentally hazardous per GHS).

14.6 Special precautions for user

Transport in original packaging. Ensure containers are tightly sealed.

For bulk or commercial quantities, consult applicable transport regulations (DOT, IATA, IMDG).

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable.

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

US EPA / TSCA: Subject to EPA TSCA regulations

EU ECHA / REACH: Not available in public databases.

SARA 302 Components:

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components:

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards:

Acute (short-term) health hazard

Chronic (long-term) health hazard

Massachusetts Right To Know Components:

This material contains components subject to the Massachusetts Right to Know Act. See Section 2 for hazard classification.

Pennsylvania Right To Know Components:

This material contains components subject to the Pennsylvania Right to Know Act. See Section 2 for hazard classification.

New Jersey Right To Know Components:

This material contains components subject to the New Jersey Right to Know Act. See Section 2 for hazard classification.

California Prop. 65 Components:

This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.

Other regulatory listings:

- The Australian Inventory of Industrial Chemicals: Chemical: Acetamide, N-9H-fluoren-2-yl-

- California Safe Cosmetics Program (CSCP) Reportable Ingredient: Hazard Traits - Carcinogenicity Authoritative List - CA TACs; NTP RoC - reasonable; Prop 65 Report - regardless of intended function of ingredient in the product

- New Jersey Worker and Community Right to Know Act: The New Jersey Worker and Community Right to Know Act requires public and private employers to provide information about hazardous substances at their workplaces. (N.J.S.A. 34:5A-1 et. seq.)

- Atmospheric Standards: Listed as a hazardous air pollutant (HAP) generally known or suspected to cause serious health problems. The Clean Air Act, as amended in 1990, directs EPA to set standards requiring major sources to sharply reduce routine emissions of toxic pollutants. EPA is required to establish and phase in spec

- CERCLA Reportable Quantities: Persons in charge of vessels or facilities are required to notify the National Response Center (NRC) immediately, when there is a release of this designated hazardous substance, in an amount equal to or greater than its reportable quantity of 1 lb or 0.454 kg. The toll free number of the NRC is (800

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this substance.

For research-use-only compounds, no CSA is required under REACH Annex I.

16. OTHER INFORMATION

Revision Date: 2026/09/08

Further Information: The information provided is believed to be correct but is not exhaustive and should be used only as a guideline based on current knowledge. It does not represent a guarantee of the properties of the product. Selleck Chemicals Corporation and its Affiliates shall not be held liable for any damage resulting from handling or contact with the product.