

Cyclophosphamide SDS/MSDS (Safety Data Sheet)

1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

* Product Name: Cyclophosphamide

* Catalog Number: S1217

* CAS Number: 50-18-0

* IUPAC Name: 2-[Bis(2-chloroethyl)amino]tetrahydro-2H-1,3,2-oxazaphosphorin 2-oxide

Relevant identified uses and uses advised against

* Identified uses: For research and development use only; laboratory chemicals; manufacture of substances.

* Uses advised against: Not for pharmaceutical, household, or other unapproved uses.

Details of the supplier

* Company: Selleck Chemicals

* TollFree: +1 877 796-6397

* Tel: +1 832 582-8158

* Fax: +1 832 582-8590

Emergency telephone number

* Emergency phone #: +1 832 582-8158

2. HAZARDS IDENTIFICATION

2.1 GHS classification in accordance with 29 CFR 1910 (OSHA HCS):

Acute toxicity (oral): Category 3. H301

Acute toxicity (oral): Category 4. H302

Serious eye damage: Category 1. H318

Germ cell mutagenicity: Category 1. H340

Carcinogenicity: Category 1. H350

Reproductive toxicity: Category 1. H360

Reproductive toxicity: Category 1B. H362

Specific target organ toxicity (single exposure): Category 1. H370

Specific target organ toxicity (repeated exposure): Category 1. H372

2.2 GHS Label elements, including precautionary statements

Hazard Pictogram(s)



Signal Word

Danger

Hazard statement(s)	H301: Toxic if swallowed H302: Harmful if swallowed H318: Causes serious eye damage H340: May cause genetic defects H350: May cause cancer H360: May damage fertility or the unborn child H362: May cause harm to breast-fed children H370: Causes damage to organs H372: Causes damage to organs through prolonged or repeated exposure
Precautionary statement(s)	None.
Prevention	P203: Obtain, read and follow all safety instructions before use. P260: Do not breathe dust/fume/gas/mist/vapors/spray. P263: Avoid contact during pregnancy/while nursing. P264: Wash hands thoroughly after handling. P264+P265: Wash hands thoroughly after handling. Do not touch eyes. P270: Do not eat, drink or smoke when using this product. P280: Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
Response	P301+P316: IF SWALLOWED: Get emergency medical help immediately. P301+P317: IF SWALLOWED: Get medical help. P305+P354: IF IN EYES: Immediately rinse with water for several minutes. P308+P316: IF exposed or concerned: Get emergency medical help immediately. P317: Get emergency medical help. P318: if exposed or concerned, get medical advice. P319: Get medical help if you feel unwell. P321: Specific treatment (see information on this label and safety datasheet)). P330: Rinse mouth. P338: Remove contact lenses, if present and easy to do. Continue rinsing.
Storage	P405: Store locked up.
Disposal	P501: P501 Dispose of contents/ container to an approved waste disposal plant.

2.3 Other hazards

None.

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Product name: Cyclophosphamide

CAS Number: 50-18-0

PubChem CID: 2907

Molecular formula: C₇H₁₅Cl₂N₂O₂P

Molecular weight: 261.08 g/mol

IUPAC name: N,N-bis(2-chloroethyl)-2-oxo-1,3,2lambda5-oxazaphosphinan-2-amine

3.2 Mixtures

Not applicable (pure substance).

4. FIRST-AID MEASURES

4.1 Description of first aid measures

Inhalation: Fresh air, rest.

Skin contact: Remove contaminated clothes. Rinse skin with plenty of water or shower.

Eye contact: Rinse with plenty of water for several minutes (remove contact lenses if easily possible).

Ingestion: Rinse mouth. Refer for medical attention .

4.2 Most important symptoms and effects, both acute and delayed

See Section 11 (Toxicological Information).

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Contact a poison control center or physician for severe exposure.

5. FIRE-FIGHTING MEASURES

5.1 Extinguishing media

Suitable: Water spray, dry chemical, carbon dioxide (CO₂), alcohol-resistant foam.

Unsuitable: None known.

5.2 Specific hazards arising from the substance or mixture

Fires involving this material can be controlled with a dry chemical, carbon dioxide or Halon extinguisher. (NTP, 1992)

Use water spray, powder, foam, carbon dioxide.

5.3 Advice for firefighters

Wear self-contained breathing apparatus (SCBA) and full protective clothing.

Fight fire from upwind. Cool containers with water spray until fire is extinguished.

Flash point: 113 °C c.c.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Wear appropriate personal protective equipment (see Section 8).

Avoid breathing dust/vapor. Ensure adequate ventilation.

Evacuate personnel to safe areas. Keep people away from and upwind of spill.

WARNING: Highly toxic — only trained personnel should handle spills.

6.2 Environmental precautions

Prevent product from entering drains, waterways, or soil.

Contain spill with inert absorbent material.

6.3 Methods and materials for containment and cleaning up

Excerpt from ERG Guide 154 [Substances - Toxic and/or Corrosive (Non-Combustible)]:

IMMEDIATE PRECAUTIONARY MEASURE: Isolate spill or leak area in all directions for at least 50 meters (150 feet) for liquids and at least 25 meters (75 feet) for solids.

SPILL: Increase the immediate precautionary measure distance, in the downwind direction, as necessary.

FIRE: If tank, rail tank car or highway tank is involved in a fire, ISOLATE for 800 meters (1/2 mile) in all directions; also, consider initial evacuation for 800 meters (1/2 mile) in all directions. (ERG, 2024)

Personal protection: particulate filter respirator adapted to the airborne concentration of the substance. Sweep spilled substance into covered sealable containers. If appropriate, moisten first to prevent dusting. Carefully collect remainder. Then store and dispose of according to local regulations.

PRECAUTIONS FOR "CARCINOGENS": A high efficiency particulate arrestor (HEPA) or charcoal filters can be used to minimize amt of carcinogen in exhausted air ventilated safety cabinets, lab hoods, glove boxes or animal rooms ... Filter housing that is designed so that used filters can be transferred into plastic bag without contaminating maintenance staff is available commercially. Filters should be placed in plastic bags immediately after removal ... The plastic bag should be sealed immediately ... The sealed bag should be labelled properly ... Waste liquids ... should be placed or collected in proper containers for disposal. The lid should be secured & the bottles properly labelled. Once filled, bottles should be placed in plastic bag, so that outer surface ... is not contaminated ... The plastic bag should also be sealed & labelled. ... Broken glassware ... should be decontaminated by solvent extraction, by chemical destruction, or in specially designed incinerators. /Chemical Carcinogens/

/PRECAUTIONS FOR ANTINEOPLASTIC AGENTS:/ Spill kits containing all materials needed to clean up spills of hazardous drugs should be assembled or purchased. These kits should be readily available in all areas where hazardous drugs are routinely handled. If hazardous drugs are being prepared or administered in a nonroutine area (home setting or unusual patient-care area), a spill kit should be obtained by the drug handler. The kit should include two pairs of disposable gloves (one outer pair of utility gloves and one inner latex pair); low-permeability, disposable protective garments (coveralls or gown and shoe covers); safety glasses or splash goggles; respirator; absorbent, plastic-backed sheets or spill pads; disposable toweling; at least 2 sealable thick plastic hazardous waste disposal bags (prelabeled with an appropriate warning label); a disposable scoop for collecting glass fragments; and a puncture-resistant container for glass fragments. All individuals who routinely handle hazardous drugs must be trained in proper spill management and cleanup procedures. Spills and breakages must be cleaned up immediately according to the following procedures. If the spill is not located in a confined space, the spill area should be identified and other people should be prevented from approaching and spreading the contamination. Wearing protective apparel from the spill kit, workers should remove any broken glass fragments and place them in the puncture-resistant container. Liquids should be absorbed with a spill pad; powder should be removed with damp disposable gauze pads or soft toweling. The hazardous material should be completely removed and the area rinsed with water and then cleaned with detergent. The spill cleanup should proceed progressively from areas of lesser to greater contamination. The detergent should be thoroughly rinsed and removed. All contaminated materials should be placed in the disposal bags provided and sealed and transported to a designated containment receptacle. Spills occurring in the biohazard cabinet should be cleaned up immediately; a spill kit should be used if the volume exceeds 150 ml or the contents of one drug vial or ampule. If there is broken glass, utility gloves should be worn to remove it and place it in the puncture-resistant container located in the biohazard cabinet. The biological safety cabinet, including the drain spillage trough, should be thoroughly cleaned. If the spill is not easily and thoroughly contained, the biological safety cabinet should be decontaminated after cleanup. If the spill contaminates the high efficiency particulate air filter, use of the biological safety cabinet should be suspended until the cabinet has been decontaminated and the high efficiency particulate air filter replaced. /Antineoplastic agents/

/PRECAUTIONS FOR ANTINEOPLASTIC AGENTS:/ If hazardous drugs are routinely prepared or administered in carpeted areas, special equipment is necessary to remove the spill. Absorbent powder should be substituted for pads or sheets and left in place on the spill for the time recommended by the manufacturer. The powder should then be picked up with a small vacuum unit reserved for hazardous drug cleanup. The carpet should then be cleaned according to usual procedures. The vacuum bag should be removed and discarded or cleaned, and the exterior of the vacuum cleaner should be washed with detergent and rinsed before being covered and stored. The contaminated powder should be discarded into a sealable plastic bag and segregated with other contaminated waste materials. Alternatively, inexpensive wet or dry vacuum units may be purchased for this express use and used

with appropriate cleaners. All such units are contaminated, once used, and must be cleaned, stored, and ultimately discarded /properly/ ... The circumstances and handling of spills should be documented. Health-care personnel exposed during spill management should also complete an incident report or exposure form. /Antineoplastic agents/

Generators of waste (equal to or greater than 100 kg/mo) containing this contaminant, EPA hazardous waste number U058, must conform with USEPA regulations in storage, transportation, treatment and disposal of waste.

A potential candidate for rotary kiln incineration at a temperature range of 820 to 1,600 °C and residence times of seconds for liquids and gases, and hours for solids. A potential candidate for fluidized bed incineration at a temperature range of 450 to 980 °C and residence times of seconds for liquids and gases, and longer for solids.

/PRECAUTIONS FOR ANTINEOPLASTIC AGENTS:/ All contaminated disposables should be contained in sealable bags for transfer to larger waste containers. /Antineoplastic agents/

/PRECAUTIONS FOR ANTINEOPLASTIC AGENTS:/ All bottles must be discarded as contaminated waste after decontamination of the biohazard cabinet. All protective apparel (gown, gloves, goggles, and respirator) should be discarded as contaminated waste. /Antineoplastic agents/

For more Disposal Methods (Complete) data for CYCLOPHOSPHAMIDE (9 total), please visit the HSDB record page.

PRECAUTIONS FOR "CARCINOGENS": Smoking, drinking, eating, storage of food or of food & beverage containers or utensils, & the application of cosmetics should be prohibited in any laboratory. All personnel should remove gloves, if worn, after completion of procedures in which carcinogens have been used. They should ... wash ... hands, preferably using dispensers of liq detergent, & rinse ... thoroughly. Consideration should be given to appropriate methods for cleaning the skin, depending on nature of the contaminant. No standard procedure can be recommended, but the use of organic solvents should be avoided. Safety pipettes should be used for all pipetting.

/Chemical Carcinogens/

PRECAUTIONS FOR "CARCINOGENS": In animal laboratory, personnel should remove their outdoor clothes & wear protective suits (preferably disposable, one piece & close fitting at ankles & wrists), gloves, hair covering & overshoes. ... clothing should be changed daily but ... discarded immediately if obvious contamination occurs ... /also,/ workers should shower immediately. In chemical laboratory, gloves & gowns should always be worn ... however, gloves should not be assumed to provide full protection. Carefully fitted masks or respirators may be necessary when working with particulates or gases, & disposable plastic aprons might provide addnl protection. If gowns are of distinctive color, this is a reminder that they should not be worn outside of lab. /Chemical Carcinogens/

PRECAUTIONS FOR "CARCINOGENS": ... Operations connected with synth & purification ... should be carried out under well ventilated hood. Analytical procedures ... should be carried out with care & vapors evolved during ... procedures should be removed. ... Expert advice should be obtained before existing fume cupboards are used ... & when new fume cupboards are installed. It is desirable that there be means for decreasing the rate of air extraction, so that carcinogenic powders can be handled without ... powder being blown around the hood. Glove boxes should be kept under negative air pressure. Air changes should be adequate, so that concn of vapors of volatile carcinogens will not occur. /Chemical Carcinogens/

PRECAUTIONS FOR "CARCINOGENS": Vertical laminar flow biological safety cabinets may be used for containment of in vitro procedures ... provided that the exhaust air flow is sufficient to provide an inward air flow at the face opening of the cabinet, & contaminated air plenums that are under positive pressure are leak tight. Horizontal laminar flow hoods or safety cabinets, where filtered air is blown across the working area towards the operator, should never be used ... Each cabinet or fume cupboard to be used ... should be tested before work is begun (eg, with fume bomb) & label fixed to it, giving date of test & avg air flow measured. This test should be repeated periodically & after any structural changes. /Chemical Carcinogens/

For more Preventive Measures (Complete) data for CYCLOPHOSPHAMIDE (29 total), please visit the HSDB record page.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

SMALL SPILLS AND LEAKAGE: If you spill this chemical, you should dampen the solid spill material with water, then transfer the dampened material to a suitable container. Use absorbent paper dampened with water to pick up any remaining material. Seal your contaminated clothing and the absorbent paper in a vapor-tight plastic bag for eventual disposal. Wash all contaminated surfaces with a soap and water solution. Do not reenter the contaminated area until the Safety Officer (or other responsible person) has verified that the area has been properly cleaned.

STORAGE PRECAUTIONS: You should protect this chemical from exposure to light. Keep the container tightly closed under an inert atmosphere, and store under refrigerated temperatures. (NTP, 1992)

Separated from food and feedstuffs. Dry. Keep in the dark. Well closed. See Chemical Dangers.

Cyclophosphamide should be preserved in tight containers, at a temperature between 2 & 32 °C.

Protect from light.

PRECAUTIONS FOR "CARCINOGENS": Storage site should be as close as practicable to lab in which carcinogens are to be used, so that only small quantities required for ... expt need to be carried. Carcinogens should be kept in only one section of cupboard, an explosion proof refrigerator or freezer (depending on chemicophysical properties ...) that bears appropriate label. An inventory ... should be kept, showing quantity of carcinogen & date it was acquired ... Facilities for dispensing ... should be contiguous to storage area. /Chemical Carcinogens/

7.2 Conditions for safe storage, including any incompatibilities

Separated from food and feedstuffs. Dry. Keep in the dark. Well closed. See Chemical Dangers.

Cyclophosphamide should be preserved in tight containers, at a temperature between 2 & 32 °C.

Protect from light.

PRECAUTIONS FOR "CARCINOGENS": Storage site should be as close as practicable to lab in which carcinogens are to be used, so that only small quantities required for ... expt need to be carried. Carcinogens should be kept in only one section of cupboard, an explosion proof refrigerator or freezer (depending on chemicophysical properties ...) that bears appropriate label. An inventory ... should be kept, showing quantity of carcinogen & date it was acquired ... Facilities for dispensing ... should be contiguous to storage area. /Chemical Carcinogens/

Store away from incompatible materials (see Section 10).

[Note: Specific storage temperature not available in public databases. Refer to supplier Certificate of Analysis (COA) for exact storage conditions.]

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Exposure controls

8.1.1 Occupational exposure limits (OEL)

OSHA PEL: Not established.

ACGIH TLV: Not established.

NIOSH REL: Not established.

No occupational exposure limit values are established for this substance.

Use the lowest feasible exposure level (ALARA principle).

8.1.2 Appropriate engineering controls

Use in a well-ventilated area. Chemical fume hood recommended for powder handling.

8.2 Individual protection measures

8.2.1 Eye/face protection

Wear chemical safety goggles and face shield.

8.2.2 Skin protection

Wear protective gloves. Recommended material: Nitrile rubber.

Wear suitable protective clothing (lab coat).

8.2.3 Respiratory protection

Respiratory protection usually not required under normal use with adequate ventilation.

Use N95 respirator for large-scale powder handling.

8.2.4 Thermal hazards

Not applicable.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

a) Appearance: Cyclophosphamide is a fine white crystalline powder. Odorless with a slightly bitter taste. Melting point 41-45 °C. A 2% solution has pH of 4 to 6. Used medicinally as an antineoplastic agent.

b) Odor: Odorless

c) Odor threshold: No data available

d) pH: No data available

e) Melting point/freezing point: 106 to 113 °F (NTP, 1992)

f) Initial boiling point and boiling range: 336 °C

g) Flash point: 113 °C c.c.

h) Evaporation rate: No data available

i) Flammability (solid, gas): No data available

j) Upper/lower flammability or explosive limits: No data available

k) Vapor pressure: 0.0000445 [mmHg]

l) Vapor density: No data available

m) Relative density: 1.48 g/cm³

n) Water solubility: 10 to 50 mg/mL at 73 °F (NTP, 1992)

o) Partition coefficient: n-octanol/water: Log P (n-octanol/water): 0.6

p) Auto-ignition temperature: No data available

q) Decomposition temperature: No data available

r) Viscosity: No data available

s) Explosive properties: No data available

t) Oxidizing properties: No data available

9.2 Other information

Topological Polar Surface Area (TPSA): 41.6 Å²

Complexity: 212

10. STABILITY AND REACTIVITY

10.1 Reactivity

No specific reactivity hazards identified under normal handling conditions.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions under normal conditions.

10.4 Conditions to avoid

Avoid heat, sparks, open flames, direct sunlight, and moisture.

Avoid strong oxidizing agents, strong acids, and strong bases.

10.5 Incompatible materials

/It was/ reported that immersion of a needle with an aluminum component in cyclophosphamide 20 mg/ml resulted in a slight darkening of the aluminum & gas production after a few days at 24 °C with protection from light.

10.6 Hazardous decomposition products

Thermal decomposition may produce: Carbon monoxide (CO), Carbon dioxide (CO₂), Nitrogen oxides (NO_x), Hydrogen chloride (HCl), Phosphorus oxides (P₂O₅).

See also Section 5 (Fire-fighting measures) for combustion products.

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity:

No acute toxicity data available.

Skin corrosion/irritation:

No data available.

Serious eye damage/eye irritation:

Causes serious eye damage (H318).

Respiratory or skin sensitization:

No data available.

Germ cell mutagenicity:

May cause genetic defects (H340).

Carcinogenicity:

May cause cancer (H350).

Reproductive toxicity:

May damage fertility or the unborn child (H360).

Specific target organ toxicity (single exposure):

H370, H372

Specific target organ toxicity (repeated exposure):

No data available.

Aspiration hazard:

No data available.

11.2 Additional information

Carcinogen classification:

Cyclophosphamide

Group 1: Carcinogenic to humans

Volume 26: (1981) Some Antineoplastic and Immunosuppressive Agents

Volume Sup 7: Overall Evaluations of Carcinogenicity: An Updating of IARC Monographs Volumes 1 to 42, 1987; 440 pages; ISBN 92-832-1411-0 (out of print)

Volume 100A: (2012) Pharmaceuticals

2012

2008

1, carcinogenic to humans. (L135)

Exposure routes:

The substance can be absorbed into the body by ingestion and by inhalation of its aerosol.

After oral administration, peak concentrations occur at one hour.

Signs and symptoms of exposure:

Diarrhoea. Dizziness. Nausea. Vomiting. Abdominal pain.

Adverse reactions reported most often include neutropenia, febrile neutropenia, fever, alopecia, nausea, vomiting, and diarrhea.

Data source: Hazardous Substances Data Bank (HSDB) via PubChem.

12. ECOLOGICAL INFORMATION

12.1 Toxicity

Environmental effects from the substance have not been investigated adequately.

Cyclophosphamide's production and use as antineoplastic may result in its release to the environment through various waste streams. If released to air, an estimated vapor pressure of 4.5 mm Hg at 25 °C indicates cyclophosphamide will exist in both the vapor and particulate phases in the ambient atmosphere. Vapor-phase cyclophosphamide will be degraded in the atmosphere by reaction with photochemically-produced hydroxyl radicals; the half-life for this reaction in air is estimated to be 5.5 hrs. Particulate-phase cyclophosphamide will be removed from the atmosphere by wet and dry deposition. Cyclophosphamide is sensitive to light. If released to soil, cyclophosphamide is expected to have high mobility based upon an estimated Koc of 52. Volatilization from moist soil surfaces is not expected to be an important fate process based upon an estimated Henry's Law constant of 1.4×10^{-11} atm-cu m/mole. Cyclophosphamide has shown to be non-biodegradable using sewage sludge tests. If released into water, cyclophosphamide is not expected to adsorb to suspended solids and sediment based upon the estimated Koc. Volatilization from water surfaces is not expected to be an important fate process based upon this compound's estimated Henry's Law constant. An estimated BCF of 3 suggests the potential for bioconcentration in aquatic organisms is low. The neutral hydrolysis calculated half-life for cyclophosphamide at 2

12.2 Persistence and degradability

No data available.

12.3 Bioaccumulative potential

Log P (n-octanol/water): 0.6

Low potential for bioaccumulation (Log P < 3).

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available.

12.6 Other adverse effects

No other adverse ecological effects identified.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Waste Treatment Methods: Waste material must be disposed of in accordance with national and local regulations. Leave chemicals in original containers and do not mix with other waste. Handle uncleaned containers in the same manner as the product itself.

14. TRANSPORT INFORMATION

14.1 UN number

Not regulated as dangerous goods (research quantities typically exempt).

14.2 UN proper shipping name

Not subject to transport regulations (small quantities for research use).

14.3 Transport hazard class(es)

Class 6.1

DOT label: Poison

14.4 Packing group

Packing group III

14.5 Environmental hazards

Marine pollutant: No (not classified as environmentally hazardous per GHS).

14.6 Special precautions for user

Transport in original packaging. Ensure containers are tightly sealed.

For bulk or commercial quantities, consult applicable transport regulations (DOT, IATA, IMDG).

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable.

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

US EPA / TSCA: Not available in public databases.

EU ECHA / REACH: Not available in public databases.

SARA 302 Components:

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components:

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards:

Acute (short-term) health hazard

Chronic (long-term) health hazard

Massachusetts Right To Know Components:

This material contains components subject to the Massachusetts Right to Know Act. See Section 2 for hazard classification.

Pennsylvania Right To Know Components:

This material contains components subject to the Pennsylvania Right to Know Act. See Section 2 for hazard classification.

New Jersey Right To Know Components:

This material contains components subject to the New Jersey Right to Know Act. See Section 2 for hazard classification.

California Prop. 65 Components:

This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.

Other regulatory listings:

- California Safe Cosmetics Program (CSCP) Reportable Ingredient: Hazard Traits - Carcinogenicity; Developmental Toxicity; Reproductive Toxicity Authoritative List - IARC Carcinogens - 1; NTP RoC - known; Prop 65 Report - regardless of intended function of ingredien
- CERCLA Reportable Quantities: Persons in charge of vessels or facilities are required to notify the National Response Center (NRC) immediately, when there is a release of this designated hazardous substance, in an amount equal to or greater than its reportable quantity of 10 lb or 4.54 kg. The toll free number of the NRC is (800
- RCRA Requirements: U058; As stipulated in 40 CFR 261.33, when cyclophosphamide, as a commercial chemical product or manufacturing chemical intermediate or an off-specification commercial chemical product or a manufacturing chemical intermediate, becomes a waste, it must be managed according to Federal and/or State haz
- FDA Requirements: Manufacturers, packers, and distributors of drug and drug products for human use are responsible for complying with the labeling, certification, and usage requirements as prescribed by the Federal Food, Drug, and Cosmetic Act, as amended (secs 201-902, 52 Stat. 1040 et seq., as amended; 21 U.S.C. 32

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this substance.

For research-use-only compounds, no CSA is required under REACH Annex I.

16. OTHER INFORMATION

Revision Date: 2026/09/08

Further Information: The information provided is believed to be correct but is not exhaustive and should be used only as a guideline based on current knowledge. It does not represent a guarantee of the properties of the product. Selleck Chemicals Corporation and its Affiliates shall not be held liable for any damage resulting from handling or contact with the product.