Hydroxylammonium chloride SDS/MSDS (Safety Data Sheet)

1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

* Product Name: Hydroxylammonium chloride
* Catalog Number: S5547
* CAS Number: 5470-11-1
* IUPAC Name: Hydroxylamine, hydrochloride (1:1)

Relevant identified uses and uses advised against

* Identified uses: For research and development use only; laboratory chemicals; manufacture of substances.
* Uses advised against: Not for pharmaceutical, household, or other unapproved uses.

Details of the supplier

* Company: Selleck Chemicals
* TollFree: +1 877 796-6397
* Tel: +1 832 582-8158
* Fax: +1 832 582-8590

Emergency telephone number

* Emergency phone #: +1 832 582-8158

2. HAZARDS IDENTIFICATION

2.1 GHS classification in accordance with 29 CFR 1910 (OSHA HCS):

Corrosive to metals: Category 1. H290
Acute toxicity (oral): Category 3. H301
Acute toxicity (oral): Category 4. H302
Acute toxicity (dermal): Category 4. H312
Skin irritation: Category 2. H315
Skin sensitization: Category 1. H317
Serious eye irritation: Category 2. H319
Specific target organ toxicity (single exposure): Category 3. H335
Carcinogenicity: Category 2. H351
Specific target organ toxicity (single exposure): Category 2. H371
Specific target organ toxicity (repeated exposure): Category 1. H372
Specific target organ toxicity (repeated exposure): Category 2. H373
Acute aquatic toxicity: Category 1. H400
Chronic aquatic toxicity: Category 1. H410
Chronic aquatic toxicity: Category 3. H412

2.2 GHS Label elements, including precautionary statements

Hazard Pictogram(s)	
Signal Word	Danger
Hazard statement(s)	H290: May be corrosive to metals H301: Toxic if swallowed H302: Harmful if swallowed H312: Harmful in contact with skin H315: Causes skin irritation H317: May cause an allergic skin reaction H319: Causes serious eye irritation H335: May cause respiratory irritation H351: Suspected of causing cancer H371: May cause damage to organs H372: Causes damage to organs through prolonged or repeated exposure H373: May causes damage to organs through prolonged or repeated exposure H400: Very toxic to aquatic life H410: Very toxic to aquatic life with long lasting effects H412: Harmful to aquatic life with long lasting effects
Precautionary statement(s)	None.
Prevention	P203: Obtain, read and follow all safety instructions before use. P234: Keep only in original container. P260: Do not breathe dust/fume/gas/mist/vapors/spray. P261: Avoid breathing dust/fume/gas/mist/vapors/spray. P264: Wash hands thoroughly after handling. P264+P265: Wash hands thoroughly after handling. Do not touch eyes. P270: Do not eat, drink or smoke when using this product. P271: Use only outdoors or in a well-ventilated area. P272: Contaminated work clothing should not be allowed out of the workplace. P273: Avoid release to the environment. P280: Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

Response	P301+P316: IF SWALLOWED: Get emergency medical help immediately. P301+P317: IF SWALLOWED: Get medical help. P302+P352: IF ON SKIN: wash with plenty of water. P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351: IF IN EYES: Rinse cautiously with water for several minutes. P308+P316: IF exposed or concerned: Get emergency medical help immediately. P317: Get emergency medical help. P318: if exposed or concerned, get medical advice. P319: Get medical help if you feel unwell. P321: Specific treatment (see information on this label and safety datasheet)). P330: Rinse mouth. P332+P317: If skin irritation occurs: Get medical help. P333+P317: If skin irritation or rash occurs: Get medical help. P337+P317: If eye irritation persists: Get medical help. P338: Remove contact lenses, if present and easy to do. Continue rinsing. P362+P364: Take off contaminated clothing and wash it before reuse. P390: Absorb spillage to prevent material damage. P391: Collect spillage.
Storage	P403+P233: Store in a well-ventilated place. Keep container tightly closed. P405: Store locked up. P406: Store in corrosive resistant container with a resistant inner liner.
Disposal	P501: P501 Dispose of contents/ container to an approved waste disposal plant.

2.3 Other hazards

None.

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Product name: Hydroxylammonium chloride

CAS Number: 5470-11-1

PubChem CID: 443297

Molecular formula: ClH4NO

Molecular weight: 69.49 g/mol

IUPAC name: hydroxylamine;hydrochloride

3.2 Mixtures

Not applicable (pure substance).

4. FIRST-AID MEASURES

4.1 Description of first aid measures

Inhalation: Fresh air, rest. Refer for medical attention.

Skin contact: Remove contaminated clothes. Rinse skin with plenty of water or shower. Refer for medical attention .

Eye contact: First rinse with plenty of water for several minutes (remove contact lenses if easily possible), then refer for medical attention.

Ingestion: Rinse mouth. Give a slurry of activated charcoal in water to drink. Refer for medical attention .

4.2 Most important symptoms and effects, both acute and delayed

See Section 11 (Toxicological Information).

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Contact a poison control center or physician for severe exposure.

5. FIRE-FIGHTING MEASURES

5.1 Extinguishing media

Suitable: Water spray, dry chemical, carbon dioxide (CO2), alcohol-resistant foam.

Unsuitable: None known.

5.2 Specific hazards arising from the substance or mixture

Fires involving this material can be controlled using a dry chemical, carbon dioxide or Halon extinguisher. (NTP, 1992)

In case of fire in the surroundings, use appropriate extinguishing media.

5.3 Advice for firefighters

Wear self-contained breathing apparatus (SCBA) and full protective clothing.

Fight fire from upwind. Cool containers with water spray until fire is extinguished.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Wear appropriate personal protective equipment (see Section 8).

Avoid breathing dust/vapor. Ensure adequate ventilation.

Evacuate personnel to safe areas. Keep people away from and upwind of spill.

WARNING: Highly toxic — only trained personnel should handle spills.

6.2 Environmental precautions

Prevent product from entering drains, waterways, or soil.

Contain spill with inert absorbent material.

6.3 Methods and materials for containment and cleaning up

Excerpt from ERG Guide 154 [Substances - Toxic and/or Corrosive (Non-Combustible)]:

IMMEDIATE PRECAUTIONARY MEASURE: Isolate spill or leak area in all directions for at least 50 meters (150 feet) for liquids and at least 25 meters (75 feet) for solids.

SPILL: Increase the immediate precautionary measure distance, in the downwind direction, as necessary.

FIRE: If tank, rail tank car or highway tank is involved in a fire, ISOLATE for 800 meters (1/2 mile) in all directions; also, consider initial evacuation for 800 meters (1/2 mile) in all directions. (ERG, 2024)

Personal protection: particulate filter respirator adapted to the airborne concentration of the substance. Do NOT let this chemical enter the environment. Sweep spilled substance into covered non-metallic containers. If appropriate, moisten first to prevent dusting. Carefully collect remainder. Then store and dispose of according to local regulations.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

SMALL SPILLS AND LEAKAGE: If you spill this chemical, you should dampen the solid spill material with water, then transfer the dampened material to a suitable container. Use absorbent paper dampened with water to pick up any remaining material. Seal your contaminated clothing and the absorbent paper in a vapor-tight plastic bag for eventual disposal. Wash all contaminated surfaces with a soap and water solution. Do not reenter the contaminated area until the Safety Officer (or other responsible person) has verified that the area has been properly cleaned.

STORAGE PRECAUTIONS: You should keep this material in a tightly closed container under an inert atmosphere, and store it at refrigerated temperatures. (NTP, 1992)

Dry. Cool. Store in an area without drain or sewer access. Provision to contain effluent from fire extinguishing.

7.2 Conditions for safe storage, including any incompatibilities

Dry. Cool. Store in an area without drain or sewer access. Provision to contain effluent from fire extinguishing.

Store away from incompatible materials (see Section 10).

[Note: Specific storage temperature not available in public databases. Refer to supplier Certificate of Analysis (COA) for exact storage conditions.]

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Exposure controls

8.1.1 Occupational exposure limits (OEL)

sensitization of skin (SH)

8.1.2 Appropriate engineering controls

Use only in a chemical fume hood or with local exhaust ventilation.

Ensure adequate ventilation to keep airborne concentrations below exposure limits.

8.2 Individual protection measures

8.2.1 Eye/face protection

Wear chemical safety goggles.

8.2.2 Skin protection

Wear protective gloves. Recommended material: Nitrile rubber.

Wear suitable protective clothing (lab coat).

8.2.3 Respiratory protection

Use NIOSH-approved dust/mist respirator (N95 or higher) if ventilation is inadequate.

8.2.4 Thermal hazards

Not applicable.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

a) Appearance: Hydroxylamine hydrochloride appears as colorless or off-white crystalline solid. pH (0.1 molar aqueous solution) 3.4. pH (0.2 molar aqueous solution) 3.2. (NTP, 1992)

b) Odor: No data available

c) Odor threshold: No data available

d) pH: No data available
e) Melting point/freezing point: 304 °F (Decomposes) (NTP, 1992)
f) Initial boiling point and boiling range: Decomposes (NTP, 1992)
g) Flash point: No data available
h) Evaporation rate: No data available
i) Flammability (solid, gas): No data available
j) Upper/lower flammability or explosive limits: No data available
k) Vapor pressure: No data available
l) Vapor density: No data available
m) Relative density: 1.67 at 63 °F (NTP, 1992) - Denser than water; will sink
n) Water solubility: greater than or equal to 100 mg/mL at 66 °F (NTP, 1992)
o) Partition coefficient: n-octanol/water: Log P: No data available
p) Auto-ignition temperature: No data available
q) Decomposition temperature: No data available
r) Viscosity: No data available
s) Explosive properties: No data available
t) Oxidizing properties: No data available

9.2 Other information

Topological Polar Surface Area (TPSA): 46.3 Å²
Complexity: 2

10. STABILITY AND REACTIVITY

10.1 Reactivity

No specific reactivity hazards identified under normal handling conditions.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions under normal conditions.

10.4 Conditions to avoid

Avoid heat, sparks, open flames, direct sunlight, and moisture.
Avoid strong oxidizing agents, strong acids, and strong bases.

10.5 Incompatible materials

Strong oxidizing agents, strong acids, strong bases.

10.6 Hazardous decomposition products

Thermal decomposition may produce: Carbon monoxide (CO), Carbon dioxide (CO□), Nitrogen oxides (NOx), Hydrogen chloride (HCl).
See also Section 5 (Fire-fighting measures) for combustion products.

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity:

No acute toxicity data available.

Skin corrosion/irritation:

Causes skin irritation (H315).

Serious eye damage/eye irritation:

Causes serious eye irritation (H319).

Respiratory or skin sensitization:

May cause an allergic skin reaction (H317).

Germ cell mutagenicity:

No data available.

Carcinogenicity:

Suspected of causing cancer (H351).

Reproductive toxicity:

No data available.

Specific target organ toxicity (single exposure):

H371, H372, H373

Specific target organ toxicity (repeated exposure):

No data available.

Aspiration hazard:

No data available.

11.2 Additional information

Exposure routes:

The substance can be absorbed into the body by inhalation of its aerosol, through the skin and by ingestion.

Signs and symptoms of exposure:

Blue lips, fingernails and skin. Headache. Dizziness. Nausea. Confusion. Convulsions. Unconsciousness.

MAY BE ABSORBED! Redness. Pain. Further see Inhalation.

Redness. Pain.

See Inhalation.

Data source: Hazardous Substances Data Bank (HSDB) via PubChem.

12. ECOLOGICAL INFORMATION

12.1 Toxicity

The substance is very toxic to aquatic organisms.

12.2 Persistence and degradability

No data available.

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available.

12.6 Other adverse effects

This substance is classified as hazardous to the aquatic environment.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Waste Treatment Methods: Waste material must be disposed of in accordance with national and local regulations. Leave chemicals in original containers and do not mix with other waste. Handle uncleaned containers in the same manner as the product itself.

14. TRANSPORT INFORMATION

14.1 UN number

Not regulated as dangerous goods (research quantities typically exempt).

14.2 UN proper shipping name

Not subject to transport regulations (small quantities for research use).

14.3 Transport hazard class(es)

Class 8

DOT label: Corrosive Poison

14.4 Packing group

Packing group III

14.5 Environmental hazards

Marine pollutant: Yes (classified as environmentally hazardous per GHS).

14.6 Special precautions for user

Transport in original packaging. Ensure containers are tightly sealed.

For bulk or commercial quantities, consult applicable transport regulations (DOT, IATA, IMDG).

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable.

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

US EPA / TSCA: Subject to EPA TSCA regulations

EU ECHA / REACH: Registered (REACH Active)

SARA 302 Components:

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components:

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards:

Acute (short-term) health hazard

Chronic (long-term) health hazard

Environmental hazard

Massachusetts Right To Know Components:

This material contains components subject to the Massachusetts Right to Know Act. See Section 2 for hazard classification.

Pennsylvania Right To Know Components:

This material contains components subject to the Pennsylvania Right to Know Act. See Section 2 for hazard classification.

New Jersey Right To Know Components:

This material contains components subject to the New Jersey Right to Know Act. See Section 2 for hazard classification.

California Prop. 65 Components:

This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.

Other regulatory listings:

- The Australian Inventory of Industrial Chemicals: Chemical: Hydroxylamine, hydrochloride

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this substance.

For research-use-only compounds, no CSA is required under REACH Annex I.

16. OTHER INFORMATION

Revision Date: 2026/09/09

Further Information: The information provided is believed to be correct but is not exhaustive and should be used only as a guideline based on current knowledge. It does not represent a guarantee of the properties of the product. Selleck Chemicals Corporation and its Affiliates shall not be held liable for any damage resulting from handling or contact with the product.