

3-Carene SDS/MSDS (Safety Data Sheet)

1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

- * Product Name: 3-Carene
- * Catalog Number: S5595
- * CAS Number: 13466-78-9
- * IUPAC Name: Bicyclo[4.1.0]hept-3-ene, 3,7,7-trimethyl-

Relevant identified uses and uses advised against

- * Identified uses: For research and development use only; laboratory chemicals; manufacture of substances.
- * Uses advised against: Not for pharmaceutical, household, or other unapproved uses.

Details of the supplier

- * Company: Selleck Chemicals
- * TollFree: +1 877 796-6397
- * Tel: +1 832 582-8158
- * Fax: +1 832 582-8590

Emergency telephone number

- * Emergency phone #: +1 832 582-8158

2. HAZARDS IDENTIFICATION

2.1 GHS classification in accordance with 29 CFR 1910 (OSHA HCS):

- Flammable liquids: Category 3. H226
- Aspiration hazard: Category 1. H304
- Skin irritation: Category 2. H315
- Skin sensitization: Category 1. H317
- Acute aquatic toxicity: Category 1. H400
- Chronic aquatic toxicity: Category 1. H410
- Chronic aquatic toxicity: Category 3. H412

2.2 GHS Label elements, including precautionary statements

Hazard Pictogram(s)



Signal Word

Danger

Hazard statement(s)

- H226: Flammable liquid and vapor
- H304: May be fatal if swallowed and enters airways
- H315: Causes skin irritation
- H317: May cause an allergic skin reaction
- H400: Very toxic to aquatic life
- H410: Very toxic to aquatic life with long lasting effects
- H412: Harmful to aquatic life with long lasting effects

Precautionary statement(s)	None.
Prevention	P210: Keep away from heat, hot surface, sparks, open flames and other ignition sources. No smoking. P233: Keep container tightly closed. P240: Ground/bond container and receiving equipment. P241: Use explosion-proof electrical/ventilating/lighting equipment. P242: Use only non-sparking tools. P243: Take precautionary measures against static discharge. P261: Avoid breathing dust/fume/gas/mist/vapors/spray. P264: Wash hands thoroughly after handling. P272: Contaminated work clothing should not be allowed out of the workplace. P273: Avoid release to the environment. P280: Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
Response	P301+P316: IF SWALLOWED: Get emergency medical help immediately. P302+P352: IF ON SKIN: wash with plenty of water. P303+P361: IF ON SKIN (or hair): Take off immediately all contaminated clothing. P321: Specific treatment (see information on this label and safety datasheet)). P331: Do NOT induce vomiting. P332+P317: If skin irritation occurs: Get medical help. P333+P317: If skin irritation or rash occurs: Get medical help. P353: Rinse skin with water [or shower]. P362+P364: Take off contaminated clothing and wash it before reuse. P370+P378: In case of fire: Use water spray, dry chemical, carbon dioxide, or appropriate foam to extinguish. P391: Collect spillage.
Storage	P403+P235: Store in a well-ventilated place. Keep cool. P405: Store locked up.
Disposal	P501: P501 Dispose of contents/ container to an approved waste disposal plant.

2.3 Other hazards

None.

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Product name: 3-Carene

CAS Number: 13466-78-9

PubChem CID: 26049

Molecular formula: C₁₀H₁₆

Molecular weight: 136.23 g/mol

IUPAC name: 3,7,7-trimethylbicyclo[4.1.0]hept-3-ene

3.2 Mixtures

Not applicable (pure substance).

4. FIRST-AID MEASURES

4.1 Description of first aid measures

Inhalation: INHALATION: move victim to fresh air; call a doctor; administer artificial respiration and oxygen if required.

Skin contact: SKIN: wipe off; wash with soap and water. (USCG, 1999)

Eye contact: EYES: flush with water for at least 15 min.

Ingestion: INGESTION: give large amounts of water and induce vomiting; call a doctor.

4.2 Most important symptoms and effects, both acute and delayed

See Section 11 (Toxicological Information).

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Contact a poison control center or physician for severe exposure.

5. FIRE-FIGHTING MEASURES

5.1 Extinguishing media

Suitable: Dry chemical, carbon dioxide (CO₂), alcohol-resistant foam, water spray.

Unsuitable: High-pressure water jet (may spread fire).

5.2 Specific hazards arising from the substance or mixture

Fire Extinguishing Agents Not to Be Used: Water may be ineffective on fire.

Fire Extinguishing Agents: Foam, dry chemical, carbon dioxide (USCG, 1999)

5.3 Advice for firefighters

Wear self-contained breathing apparatus (SCBA) and full protective clothing.

Fight fire from upwind. Cool containers with water spray until fire is extinguished.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Wear appropriate personal protective equipment (see Section 8).

Avoid breathing dust/vapor. Ensure adequate ventilation.

Evacuate personnel to safe areas. Keep people away from and upwind of spill.

6.2 Environmental precautions

Prevent product from entering drains, waterways, or soil.

Contain spill with inert absorbent material.

6.3 Methods and materials for containment and cleaning up

Excerpt from ERG Guide 128 [Flammable Liquids (Water-Immiscible)]:

IMMEDIATE PRECAUTIONARY MEASURE: Isolate spill or leak area for at least 50 meters (150 feet) in all directions.

LARGE SPILL: Consider initial downwind evacuation for at least 300 meters (1000 feet).

FIRE: If tank, rail tank car or highway tank is involved in a fire, ISOLATE for 800 meters (1/2 mile) in all directions; also, consider initial evacuation for 800 meters (1/2 mile) in all directions. (ERG, 2024)

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Excerpt from ERG Guide 128 [Flammable Liquids (Water-Immiscible)]:

ELIMINATE all ignition sources (no smoking, flares, sparks or flames) from immediate area. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material. Stop leak if you can do it without risk. Prevent entry into waterways, sewers, basements or confined areas. A vapor-suppressing foam may be used to reduce vapors. Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers. Use clean, non-sparking tools to collect absorbed material.

LARGE SPILL: Dike far ahead of liquid spill for later disposal. Water spray may reduce vapor, but may not prevent ignition in closed spaces. (ERG, 2024)

Keep away from heat, sparks, and open flames. Use explosion-proof equipment.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry, well-ventilated area. Keep container tightly closed.

Store away from incompatible materials (see Section 10).

Protect from light and moisture.

Recommended storage (industry convention for research compounds): -20°C for long-term storage; 2-8°C for short-term use and transport.

[Note: This is a general industry recommendation. Always verify exact storage conditions with the supplier Certificate of Analysis (COA).]

Store in original container. Keep upright to prevent leakage.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Exposure controls

8.1.1 Occupational exposure limits (OEL)

OSHA PEL: Not established.

ACGIH TLV: Not established.

NIOSH REL: Not established.

No occupational exposure limit values are established for this substance.

Use the lowest feasible exposure level (ALARA principle).

8.1.2 Appropriate engineering controls

Use in a well-ventilated area. Chemical fume hood recommended for powder handling.

8.2 Individual protection measures

8.2.1 Eye/face protection

Wear safety glasses with side shields.

8.2.2 Skin protection

Wear protective gloves. Recommended material: Nitrile rubber.

Wear suitable protective clothing (lab coat).

8.2.3 Respiratory protection

Respiratory protection usually not required under normal use with adequate ventilation.

Use N95 respirator for large-scale powder handling.

8.2.4 Thermal hazards

Not applicable.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

- a) Appearance: Carene is a colorless liquid with a sweet, turpentine-like odor. Floats on water. (USCG, 1999)
- b) Odor: No data available
- c) Odor threshold: No data available
- d) pH: No data available
- e) Melting point/freezing point: < 25 °C
- f) Initial boiling point and boiling range: 338 °F at 760 mmHg (USCG, 1999)
- g) Flash point: No data available
- h) Evaporation rate: No data available
- i) Flammability (solid, gas): No data available
- j) Upper/lower flammability or explosive limits: No data available
- k) Vapor pressure: 3.72 [mmHg]
- l) Vapor density: No data available
- m) Relative density: 0.86 at 68 °F (USCG, 1999) - Less dense than water; will float
- n) Water solubility: Insoluble in water; soluble in benzene, pet ether
- o) Partition coefficient: n-octanol/water: Log P (n-octanol/water): 2.8
- p) Auto-ignition temperature: No data available
- q) Decomposition temperature: No data available
- r) Viscosity: No data available
- s) Explosive properties: No data available
- t) Oxidizing properties: No data available

9.2 Other information

Complexity: 186

10. STABILITY AND REACTIVITY

10.1 Reactivity

No specific reactivity hazards identified under normal handling conditions.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions under normal conditions.

10.4 Conditions to avoid

Avoid heat, sparks, open flames, direct sunlight, and moisture.

10.5 Incompatible materials

Strong oxidizing agents, strong acids, strong bases.

10.6 Hazardous decomposition products

Thermal decomposition may produce: Carbon monoxide (CO), Carbon dioxide (CO₂).

See also Section 5 (Fire-fighting measures) for combustion products.

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity:

No acute toxicity data available.

Skin corrosion/irritation:

Causes skin irritation (H315).

Serious eye damage/eye irritation:

No data available.

Respiratory or skin sensitization:

May cause an allergic skin reaction (H317).

Germ cell mutagenicity:

No data available.

Carcinogenicity:

No data available.

Reproductive toxicity:

No data available.

Specific target organ toxicity (single exposure):

No data available.

Specific target organ toxicity (repeated exposure):

No data available.

Aspiration hazard:

May be fatal if swallowed and enters airways (H304).

11.2 Additional information

No additional toxicological information available.

12. ECOLOGICAL INFORMATION

12.1 Toxicity

No ecotoxicity data available.

12.2 Persistence and degradability

No data available.

12.3 Bioaccumulative potential

Log P (n-octanol/water): 2.8

Low potential for bioaccumulation (Log P < 3).

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available.

12.6 Other adverse effects

This substance is classified as hazardous to the aquatic environment.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Waste Treatment Methods: Waste material must be disposed of in accordance with national and local regulations. Leave chemicals in original containers and do not mix with other waste. Handle uncleaned containers in the same manner as the product itself.

14. TRANSPORT INFORMATION

14.1 UN number

Not regulated as dangerous goods (research quantities typically exempt).

14.2 UN proper shipping name

Not subject to transport regulations (small quantities for research use).

14.3 Transport hazard class(es)

Not classified as dangerous goods for transport (research quantities).

DOT label: Flammable Liquid

14.4 Packing group

Not applicable (not regulated as dangerous goods in typical research quantities).

14.5 Environmental hazards

Marine pollutant: Yes (classified as environmentally hazardous per GHS).

14.6 Special precautions for user

Transport in original packaging. Ensure containers are tightly sealed.

For bulk or commercial quantities, consult applicable transport regulations (DOT, IATA, IMDG).

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable.

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

US EPA / TSCA: Subject to EPA TSCA regulations

EU ECHA / REACH: REACH Status: Cease

SARA 302 Components:

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components:

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards:

Acute (short-term) health hazard

Environmental hazard

Fire hazard

Massachusetts Right To Know Components:

This material contains components subject to the Massachusetts Right to Know Act. See Section 2 for hazard classification.

Pennsylvania Right To Know Components:

This material contains components subject to the Pennsylvania Right to Know Act. See Section 2 for hazard classification.

New Jersey Right To Know Components:

This material contains components subject to the New Jersey Right to Know Act. See Section 2 for hazard classification.

California Prop. 65 Components:

This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.

Other regulatory listings:

- The Australian Inventory of Industrial Chemicals: Chemical: Bicyclo[4.1.0]hept-3-ene, 3,7,7-trimethyl-
- EFSA Legal Basis: Regulation (EC) No 1831/2003 (amended)
- Status Regulation (EC): 2007/442

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this substance.

For research-use-only compounds, no CSA is required under REACH Annex I.

16. OTHER INFORMATION

Revision Date: 2026/09/09

Further Information: The information provided is believed to be correct but is not exhaustive and should be used only as a guideline based on current knowledge. It does not represent a guarantee of the properties of the product.

Selleck Chemicals Corporation and its Affiliates shall not be held liable for any damage resulting from handling or contact with the product.