

Edetate calcium disodium SDS/MSDS (Safety Data Sheet)

1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

* Product Name: Edetate calcium disodium

* Catalog Number: S5721

* CAS Number: 62-33-9

* IUPAC Name: Calciate(2-), [[N,N'-1,2-ethanediylbis[N-[(carboxy-κO)methyl]glycinato-κN,κO]](4-)]-, sodium (1?), (OC-6-21)-

Relevant identified uses and uses advised against

* Identified uses: For research and development use only; laboratory chemicals; manufacture of substances.

* Uses advised against: Not for pharmaceutical, household, or other unapproved uses.

Details of the supplier

* Company: Selleck Chemicals

* TollFree: +1 877 796-6397

* Tel: +1 832 582-8158

* Fax: +1 832 582-8590

Emergency telephone number

* Emergency phone #: +1 832 582-8158

2. HAZARDS IDENTIFICATION

2.1 GHS classification in accordance with 29 CFR 1910 (OSHA HCS):

Skin irritation: Category 2. H315

Serious eye irritation: Category 2. H319

Specific target organ toxicity (single exposure): Category 3. H335

2.2 GHS Label elements, including precautionary statements

Hazard Pictogram(s)



Signal Word

Warning

Hazard statement(s)

H315: Causes skin irritation

H319: Causes serious eye irritation

H335: May cause respiratory irritation

Precautionary statement(s)

None.

Prevention	P261: Avoid breathing dust/fume/gas/mist/vapors/spray. P264: Wash hands thoroughly after handling. P264+P265: Wash hands thoroughly after handling. Do not touch eyes. P271: Use only outdoors or in a well-ventilated area. P280: Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
Response	P302+P352: IF ON SKIN: wash with plenty of water. P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351: IF IN EYES: Rinse cautiously with water for several minutes. P319: Get medical help if you feel unwell. P321: Specific treatment (see information on this label and safety datasheet)). P332+P317: If skin irritation occurs: Get medical help. P337+P317: If eye irritation persists: Get medical help. P338: Remove contact lenses, if present and easy to do. Continue rinsing. P362+P364: Take off contaminated clothing and wash it before reuse.
Storage	P403+P233: Store in a well-ventilated place. Keep container tightly closed. P405: Store locked up.
Disposal	P501: P501 Dispose of contents/ container to an approved waste disposal plant.

2.3 Other hazards

None.

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Product name: Edetate calcium disodium

CAS Number: 62-33-9

PubChem CID: 6093170

Molecular formula: C₁₀H₁₂CaN₂Na₂O₈

Molecular weight: 374.27 g/mol

IUPAC name: calcium;disodium;2-[2-[bis(carboxylatomethyl)amino]ethyl-(carboxylatomethyl)amino]acetate

3.2 Mixtures

Not applicable (pure substance).

4. FIRST-AID MEASURES

4.1 Description of first aid measures

Inhalation: Move to fresh air. Keep at rest in a position comfortable for breathing. Seek medical attention if symptoms persist.

Skin contact: Wash with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation develops.

Eye contact: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. Seek medical attention.

Ingestion: Rinse mouth. Do NOT induce vomiting unless directed by medical personnel. Seek medical attention.

4.2 Most important symptoms and effects, both acute and delayed

See Section 11 (Toxicological Information).

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Contact a poison control center or physician for severe exposure.

5. FIRE-FIGHTING MEASURES

5.1 Extinguishing media

Suitable: Water spray, dry chemical, carbon dioxide (CO₂), alcohol-resistant foam.

Unsuitable: None known.

5.2 Specific hazards arising from the substance or mixture

Water spray, dry chemical, carbon dioxide, or foam as appropriate for surrounding fire and materials.

This material is assumed to be combustible. As with all dry powders, it is advisable to ground mechanical equipment in contact with dry material to dissipate the potential buildup of static electricity.

5.3 Advice for firefighters

Wear self-contained breathing apparatus (SCBA) and full protective clothing.

Fight fire from upwind. Cool containers with water spray until fire is extinguished.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Wear appropriate personal protective equipment (see Section 8).

Avoid breathing dust/vapor. Ensure adequate ventilation.

Evacuate personnel to safe areas. Keep people away from and upwind of spill.

6.2 Environmental precautions

Prevent product from entering drains, waterways, or soil.

Contain spill with inert absorbent material.

6.3 Methods and materials for containment and cleaning up

Wear approved respiratory protection, chemically compatible gloves, and protective clothing. Wipe up spillage or collect spillage using a high-efficiency vacuum cleaner. Avoid breathing dust. Place spillage in appropriately labeled container for disposal. Wash spill site.

SRP: The most favorable course of action is to use an alternative chemical product with less inherent propensity for occupational exposure or environmental contamination. Recycle any unused portion of the material for its approved use or return it to the manufacturer or supplier. Ultimate disposal of the chemical must consider: the material's impact on air quality; potential migration in soil or water; effects on animal, aquatic, and plant life; and conformance with environmental and public health regulations.

As with all fires, evacuate personnel to a safe area. Firefighters should use self-contained breathing equipment and protective clothing.

As a general rule, when handling USP Reference Standards avoid all contact and inhalation of dust, mists, and/or vapors associated with the material. Wash thoroughly after handling.

/Wear/ chemically compatible gloves /and/ safety glasses or goggles. Protect exposed skin.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Edetate calcium disodium injection should be stored at controlled room temperature (15-30 °C).

Store in tight container as defined in the USP-NF. This material should be handled and stored per label instructions to ensure product integrity. Store in a refrigerator.

7.2 Conditions for safe storage, including any incompatibilities

Edetate calcium disodium injection should be stored at controlled room temperature (15-30 °C).

Store in tight container as defined in the USP-NF. This material should be handled and stored per label instructions to ensure product integrity. Store in a refrigerator.

Store away from incompatible materials (see Section 10).

[Note: Specific storage temperature not available in public databases. Refer to supplier Certificate of Analysis (COA) for exact storage conditions.]

Store in original container. Keep upright to prevent leakage.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Exposure controls

8.1.1 Occupational exposure limits (OEL)

OSHA PEL: Not established.

ACGIH TLV: Not established.

NIOSH REL: Not established.

No occupational exposure limit values are established for this substance.

Use the lowest feasible exposure level (ALARA principle).

8.1.2 Appropriate engineering controls

Use only in a chemical fume hood or with local exhaust ventilation.

Ensure adequate ventilation to keep airborne concentrations below exposure limits.

8.2 Individual protection measures

8.2.1 Eye/face protection

Wear chemical safety goggles.

8.2.2 Skin protection

Wear protective gloves. Recommended material: Nitrile rubber.

Wear suitable protective clothing (lab coat).

8.2.3 Respiratory protection

Use NIOSH-approved dust/mist respirator (N95 or higher) if ventilation is inadequate.

8.2.4 Thermal hazards

Not applicable.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

a) Appearance: CBI; Other Solid; Dry Powder; Liquid

b) Odor: Odorless

- c) Odor threshold: No data available
- d) pH: Between 6,5 and 7,5 (1 % solution)
- e) Melting point/freezing point: >300
- f) Initial boiling point and boiling range: No data available
- g) Flash point: No data available
- h) Evaporation rate: No data available
- i) Flammability (solid, gas): No data available
- j) Upper/lower flammability or explosive limits: No data available
- k) Vapor pressure: No data available
- l) Vapor density: No data available
- m) Relative density: No data available
- n) Water solubility: Powder. Solubility in water: at 20 °C a 0.1M solution can be prepared (pH approx 7). Practically insoluble in organic solvents /Tetrahydrate/
- o) Partition coefficient: n-octanol/water: Log P: No data available
- p) Auto-ignition temperature: No data available
- q) Decomposition temperature: No data available
- r) Viscosity: No data available
- s) Explosive properties: No data available
- t) Oxidizing properties: No data available

9.2 Other information

Topological Polar Surface Area (TPSA): 167 Å²

Complexity: 293

10. STABILITY AND REACTIVITY

10.1 Reactivity

No specific reactivity hazards identified under normal handling conditions.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions under normal conditions.

10.4 Conditions to avoid

Avoid heat, sparks, open flames, direct sunlight, and moisture.

Avoid strong oxidizing agents, strong acids, and strong bases.

10.5 Incompatible materials

Edetate calcium disodium has been reported to be physically incompatible with 10% dextrose, 10% invert sugar, 10% invert sugar in 0.9% sodium chloride, lactated Ringer's, Ringer's, and (1/6) M sodium lactate injections and with injectable preparations of amphotericin B and hydralazine hydrochloride.

10.6 Hazardous decomposition products

Thermal decomposition may produce: Carbon monoxide (CO), Carbon dioxide (CO₂), Nitrogen oxides (NO_x).

See also Section 5 (Fire-fighting measures) for combustion products.

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity:

No acute toxicity data available.

Skin corrosion/irritation:

Causes skin irritation (H315).

Serious eye damage/eye irritation:

Causes serious eye irritation (H319).

Respiratory or skin sensitization:

No data available.

Germ cell mutagenicity:

No data available.

Carcinogenicity:

No data available.

Reproductive toxicity:

No data available.

Specific target organ toxicity (single exposure):

No data available.

Specific target organ toxicity (repeated exposure):

No data available.

Aspiration hazard:

No data available.

11.2 Additional information

No additional toxicological information available.

12. ECOLOGICAL INFORMATION

12.1 Toxicity

LC50; Species: *Lepomis macrochirus* (Bluegill); Conditions: static, pH 7.4; Concentration: 2,340 mg/L for 96 hr

According to the 2006 TSCA Inventory Update Reporting data, the number of persons reasonably likely to be exposed in the industrial manufacturing, processing, and use of disodium calcium EDTA is 100 to 999; the data may be greatly underestimated(1).

NIOSH (NOES Survey 1981-1983) has statistically estimated that 24,794 workers (14,315 of these were female) were potentially exposed to disodium calcium EDTA in the US(1).

12.2 Persistence and degradability

No data available.

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available.

12.6 Other adverse effects

No other adverse ecological effects identified.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Waste Treatment Methods: Waste material must be disposed of in accordance with national and local regulations. Leave chemicals in original containers and do not mix with other waste. Handle uncleaned containers in the same manner as the product itself.

14. TRANSPORT INFORMATION

14.1 UN number

Not regulated as dangerous goods (research quantities typically exempt).

14.2 UN proper shipping name

Not subject to transport regulations (small quantities for research use).

14.3 Transport hazard class(es)

Not classified as dangerous goods for transport (research quantities).

14.4 Packing group

Not applicable (not regulated as dangerous goods in typical research quantities).

14.5 Environmental hazards

Marine pollutant: No (not classified as environmentally hazardous per GHS).

14.6 Special precautions for user

Transport in original packaging. Ensure containers are tightly sealed.

For bulk or commercial quantities, consult applicable transport regulations (DOT, IATA, IMDG).

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable.

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

US EPA / TSCA: Subject to EPA TSCA regulations

EU ECHA / REACH: Registered (REACH Active)

SARA 302 Components:

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components:

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards:

Acute (short-term) health hazard

Massachusetts Right To Know Components:

This material contains components subject to the Massachusetts Right to Know Act. See Section 2 for hazard classification.

Pennsylvania Right To Know Components:

This material contains components subject to the Pennsylvania Right to Know Act. See Section 2 for hazard classification.

New Jersey Right To Know Components:

This material contains components subject to the New Jersey Right to Know Act. See Section 2 for hazard classification.

California Prop. 65 Components:

This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.

Other regulatory listings:

- The Australian Inventory of Industrial Chemicals: Chemical: Calciate(2-), [[N,Nâ²-1,2-ethanediylbis[N-[(carboxy-.kappa.O)methyl]glycinato-.kappa.N,.kappa.O]](4-)]-, sodium (1:2), (OC-6-21)-
- EFSA Legal Basis: Regulation (EC) No 1831/2003 (amended)
- FDA Requirements: The following substances may be safely used as diluents in color additive mixtures for food use exempt from certification, subject to the condition that each straight color in the mixture has been exempted from certification or, if not so exempted, is from a batch that has previously been certified

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this substance.

For research-use-only compounds, no CSA is required under REACH Annex I.

16. OTHER INFORMATION

Revision Date: 2026/09/09

Further Information: The information provided is believed to be correct but is not exhaustive and should be used only as a guideline based on current knowledge. It does not represent a guarantee of the properties of the product. Selleck Chemicals Corporation and its Affiliates shall not be held liable for any damage resulting from handling or contact with the product.