Benzyldimethylstearylammonium Chloride SDS/MSDS (Safety Data Sheet)

1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

* Product Name: Benzyldimethylstearylammonium Chloride
* Catalog Number: S6157
* CAS Number: 122-19-0
* IUPAC Name: Benzenemethanaminium, N,N-dimethyl-N-octadecyl-, chloride (1:1)

Relevant identified uses and uses advised against

* Identified uses: For research and development use only; laboratory chemicals; manufacture of substances.
* Uses advised against: Not for pharmaceutical, household, or other unapproved uses.

Details of the supplier

* Company: Selleck Chemicals
* TollFree: +1 877 796-6397
* Tel: +1 832 582-8158
* Fax: +1 832 582-8590

Emergency telephone number

* Emergency phone #: +1 832 582-8158

2. HAZARDS IDENTIFICATION

2.1 GHS classification in accordance with 29 CFR 1910 (OSHA HCS):

Acute toxicity (oral): Category 4. H302
Acute toxicity (dermal): Category 4. H312
Skin corrosion: Category 1. H314
Serious eye damage: Category 1. H318
Acute toxicity (inhalation): Category 1. H330

2.2 GHS Label elements, including precautionary statements

Hazard Pictogram(s)



Signal Word Danger

Hazard statement(s)
H302: Harmful if swallowed
H312: Harmful in contact with skin
H314: Causes severe skin burns and eye damage
H318: Causes serious eye damage
H330: Fatal if inhaled

Precautionary statement(s) None.

Prevention	P260: Do not breathe dust/fume/gas/mist/vapors/spray. P264: Wash hands thoroughly after handling. P264+P265: Wash hands thoroughly after handling. Do not touch eyes. P270: Do not eat, drink or smoke when using this product. P271: Use only outdoors or in a well-ventilated area. P280: Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. P284: [In case of inadequate ventilation] Wear respiratory protection.
Response	P301+P317: IF SWALLOWED: Get medical help. P301+P330: IF SWALLOWED: Rinse mouth. P302+P352: IF ON SKIN: wash with plenty of water. P302+P361: IF ON SKIN: Take off immediately all contaminated clothing. P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P354: IF IN EYES: Immediately rinse with water for several minutes. P316: Get emergency medical help immediately. P317: Get emergency medical help. P320: Specific treatment is urgent. P321: Specific treatment (see information on this label and safety datasheet)). P330: Rinse mouth. P331: Do NOT induce vomiting. P338: Remove contact lenses, if present and easy to do. Continue rinsing. P354: Immediately rinse with water for several minutes. P362+P364: Take off contaminated clothing and wash it before reuse. P363: Wash contaminated clothing before reuse.
Storage	P403+P233: Store in a well-ventilated place. Keep container tightly closed. P405: Store locked up.
Disposal	P501: P501 Dispose of contents/ container to an approved waste disposal plant.

2.3 Other hazards

None.

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Product name: Benzyldimethylstearylammonium Chloride

CAS Number: 122-19-0

PubChem CID: 31204

Molecular formula: C27H50ClN

Molecular weight: 424.1 g/mol

IUPAC name: benzyl-dimethyl-octadecylazanium chloride

3.2 Mixtures

Not applicable (pure substance).

4. FIRST-AID MEASURES

4.1 Description of first aid measures

Inhalation: INHALATION: IMMEDIATELY leave the contaminated area; take deep breaths of fresh air. If symptoms (such as wheezing, coughing, shortness of breath, or burning in the mouth, throat, or chest) develop, call a physician and be prepared to transport the victim to a hospital. Provide proper respiratory protection to rescuers entering an unknown atmosphere. Whenever possible, Self-Contained Breathing Apparatus (SCBA) should be used; if not available, use a level of protection greater than or equal to t

Skin contact: SKIN: IMMEDIATELY flood affected skin with water while removing and isolating all contaminated clothing. Gently wash all affected skin areas thoroughly with soap and water. If symptoms such as redness or irritation develop, IMMEDIATELY call a physician and be prepared to transport the victim to a hospital for treatment.

Eye contact: EYES: First check the victim for contact lenses and remove if present. Flush victim's eyes with water or normal saline solution for 20 to 30 minutes while simultaneously calling a hospital or poison control center. Do not put any ointments, oils, or medication in the victim's eyes without specific instructions from a physician. IMMEDIATELY transport the victim after flushing eyes to a hospital even if no symptoms (such as redness or irritation) develop.

Ingestion: INGESTION: DO NOT INDUCE VOMITING. If the victim is conscious and not convulsing, give 1 or 2 glasses of water to dilute the chemical and IMMEDIATELY call a hospital or poison control center. Be prepared to transport the victim to a hospital if advised by a physician. If the victim is convulsing or unconscious, do not give anything by mouth, ensure that the victim's airway is open and lay the victim on his/her side with the head lower than the body. DO NOT INDUCE VOMITING. IMMEDIATELY transport

4.2 Most important symptoms and effects, both acute and delayed

See Section 11 (Toxicological Information).

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Contact a poison control center or physician for severe exposure.

5. FIRE-FIGHTING MEASURES

5.1 Extinguishing media

Suitable: Water spray, dry chemical, carbon dioxide (CO2), alcohol-resistant foam.

Unsuitable: None known.

5.2 Specific hazards arising from the substance or mixture

Fires involving this material can be controlled with a dry chemical, carbon dioxide or Halon extinguisher. (NTP, 1992)

5.3 Advice for firefighters

Wear self-contained breathing apparatus (SCBA) and full protective clothing.

Fight fire from upwind. Cool containers with water spray until fire is extinguished.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Wear appropriate personal protective equipment (see Section 8).

Avoid breathing dust/vapor. Ensure adequate ventilation.

Evacuate personnel to safe areas. Keep people away from and upwind of spill.

WARNING: Highly toxic — only trained personnel should handle spills.

6.2 Environmental precautions

Prevent product from entering drains, waterways, or soil.

Contain spill with inert absorbent material.

6.3 Methods and materials for containment and cleaning up

Excerpt from ERG Guide 154 [Substances - Toxic and/or Corrosive (Non-Combustible)]:

IMMEDIATE PRECAUTIONARY MEASURE: Isolate spill or leak area in all directions for at least 50 meters (150 feet) for liquids and at least 25 meters (75 feet) for solids.

SPILL: Increase the immediate precautionary measure distance, in the downwind direction, as necessary.

FIRE: If tank, rail tank car or highway tank is involved in a fire, ISOLATE for 800 meters (1/2 mile) in all directions; also, consider initial evacuation for 800 meters (1/2 mile) in all directions. (ERG, 2024)

SRP: At the time of review, criteria for land treatment or burial (sanitary landfill) disposal practices are subject to significant revision. Prior to implementing land disposal of waste residue (including waste sludge), consult with environmental regulatory agencies for guidance on acceptable disposal practices.

SRP: The scientific literature for the use of contact lenses in industry is conflicting. The benefit or detrimental effects of wearing contact lenses depend not only upon the substance, but also on factors including the form of the substance, characteristics and duration of the exposure, the uses of other eye protection equipment, and the hygiene of the lenses. However, there may be individual substances whose irritating or corrosive properties are such that the wearing of contact lenses would be harmful to the eye. In those specific cases, contact lenses should not be worn. In any event, the usual eye protection equipment should be worn even when contact lenses are in place.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

SMALL SPILLS AND LEAKAGE: Should a spill occur while you are handling this chemical, FIRST REMOVE ALL SOURCES OF IGNITION, then you should dampen the solid spill material with 60-70% ethanol and transfer the dampened material to a suitable container. Use absorbent paper dampened with 60-70% ethanol to pick up any remaining material. Seal the absorbent paper, and any of your clothes, which may be contaminated, in a vapor-tight plastic bag for eventual disposal. Solvent wash all contaminated surfaces with 60-70% ethanol followed by washing with a soap and water solution. Do not reenter the contaminated area until the Safety Officer (or other responsible person) has verified that the area has been properly cleaned.

STORAGE PRECAUTIONS: You should store this material at ambient temperatures. (NTP, 1992)

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry, well-ventilated area. Keep container tightly closed.

Store away from incompatible materials (see Section 10).

Protect from light and moisture.

Recommended storage (industry convention for research compounds): -20°C for long-term storage; 2-8°C for short-term use and transport.

[Note: This is a general industry recommendation. Always verify exact storage conditions with the supplier Certificate of Analysis (COA).]

Store in original container. Keep upright to prevent leakage.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Exposure controls

8.1.1 Occupational exposure limits (OEL)

OSHA PEL: Not established.

ACGIH TLV: Not established.

NIOSH REL: Not established.

No occupational exposure limit values are established for this substance.

Use the lowest feasible exposure level (ALARA principle).

8.1.2 Appropriate engineering controls

Use only in a chemical fume hood or with local exhaust ventilation.

Ensure adequate ventilation to keep airborne concentrations below exposure limits.

8.2 Individual protection measures

8.2.1 Eye/face protection

Wear chemical safety goggles and face shield.

8.2.2 Skin protection

Wear protective gloves. Recommended material: Nitrile rubber.

Wear suitable protective clothing (lab coat).

8.2.3 Respiratory protection

Wear NIOSH-approved respirator with appropriate cartridges. SCBA for high concentrations.

8.2.4 Thermal hazards

Not applicable.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

a) Appearance: Benzyldimethyloctadecylammonium chloride appears as white solid or thick liquid with a mild odor. (USCG, 1999)

b) Odor: No data available

c) Odor threshold: No data available

d) pH: No data available

e) Melting point/freezing point: No data available

f) Initial boiling point and boiling range: DECOMP @ 120 °C

g) Flash point: No data available

h) Evaporation rate: No data available

i) Flammability (solid, gas): No data available

j) Upper/lower flammability or explosive limits: No data available

k) Vapor pressure: No data available

l) Vapor density: No data available

m) Relative density: greater than 1.1 at 68 °F (USCG, 1999)

n) Water solubility: less than 1 mg/mL at 70 °F (NTP, 1992)

o) Partition coefficient: n-octanol/water: Log P: No data available

p) Auto-ignition temperature: No data available

q) Decomposition temperature: No data available

r) Viscosity: No data available

s) Explosive properties: No data available

t) Oxidizing properties: No data available

9.2 Other information

Complexity: 316

10. STABILITY AND REACTIVITY

10.1 Reactivity

No specific reactivity hazards identified under normal handling conditions.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions under normal conditions.

10.4 Conditions to avoid

Avoid heat, sparks, open flames, direct sunlight, and moisture.

Avoid strong oxidizing agents, strong acids, and strong bases.

10.5 Incompatible materials

Strong oxidizing agents, strong acids, strong bases.

10.6 Hazardous decomposition products

Thermal decomposition may produce: Carbon monoxide (CO), Carbon dioxide (CO□), Nitrogen oxides (NOx), Hydrogen chloride (HCl).

See also Section 5 (Fire-fighting measures) for combustion products.

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity:

No acute toxicity data available.

Skin corrosion/irritation:

Causes severe skin burns and eye damage (H314).

Serious eye damage/eye irritation:

Causes serious eye damage (H318).

Respiratory or skin sensitization:

No data available.

Germ cell mutagenicity:

No data available.

Carcinogenicity:

No data available.

Reproductive toxicity:

No data available.

Specific target organ toxicity (single exposure):

No data available.

Specific target organ toxicity (repeated exposure):

No data available.

Aspiration hazard:

No data available.

11.2 Additional information

No additional toxicological information available.

12. ECOLOGICAL INFORMATION

12.1 Toxicity

Benzyldimethylstearylammonium chloride's production and use as in contraceptive formulations, in industrial and institutional cleaners, various detergents, emulsion polymerization process, and paper and textile processing may result in its release to the environment through various waste streams. If released to air, an estimated vapor pressure of 1.2X10-13 mm Hg at 25 °C indicates benzyldimethylstearylammonium chloride will exist solely in the particulate phase in the ambient atmosphere. Particulate-phase benzyldimethylstearylammonium chloride will be removed from the atmosphere by wet and dry deposition. If released to soil, benzyldimethylstearylammonium chloride is expected to have no mobility based upon an estimated Koc of 3X10+7. Volatilization from moist soil surfaces is not expected to be an important fate process based upon an estimated Henry's Law constant of 4.2X10-11 atm-cu m/mole. Benzyldimethylstearylammonium chloride will not volatilize from dry soil surfaces based upon its vapor pressure. If released into water, benzyldimethylstearylammonium chloride is expected to adsorb to suspended solids and sediment in water based upon the estimated Koc. The SCAS method and the OECD Confirmatory test determined a 94 and 95% removal rate from water, respectively. Volatilization from water surfaces is not expected to be an important fate process based upon this compound's estimated Henry's Law constant. An estimated BCF of 71 suggests the potential for bioconcentration in aqu

12.2 Persistence and degradability

No data available.

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available.

12.6 Other adverse effects

No other adverse ecological effects identified.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Waste Treatment Methods: Waste material must be disposed of in accordance with national and local regulations. Leave chemicals in original containers and do not mix with other waste. Handle uncleaned containers in the same manner as the product itself.

14. TRANSPORT INFORMATION

14.1 UN number

Not regulated as dangerous goods (research quantities typically exempt).

14.2 UN proper shipping name

Not subject to transport regulations (small quantities for research use).

14.3 Transport hazard class(es)

Not classified as dangerous goods for transport (research quantities).

DOT label: Poison

14.4 Packing group

Not applicable (not regulated as dangerous goods in typical research quantities).

14.5 Environmental hazards

Marine pollutant: No (not classified as environmentally hazardous per GHS).

14.6 Special precautions for user

Transport in original packaging. Ensure containers are tightly sealed.

For bulk or commercial quantities, consult applicable transport regulations (DOT, IATA, IMDG).

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable.

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

US EPA / TSCA: Subject to EPA TSCA regulations

EU ECHA / REACH: Registered (REACH Active)

SARA 302 Components:

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components:

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards:

Acute (short-term) health hazard

Massachusetts Right To Know Components:

This material contains components subject to the Massachusetts Right to Know Act. See Section 2 for hazard classification.

Pennsylvania Right To Know Components:

This material contains components subject to the Pennsylvania Right to Know Act. See Section 2 for hazard classification.

New Jersey Right To Know Components:

This material contains components subject to the New Jersey Right to Know Act. See Section 2 for hazard classification.

California Prop. 65 Components:

This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.

Other regulatory listings:

- The Australian Inventory of Industrial Chemicals: Chemical: Benzenemethanaminium, N,N-dimethyl-N-octadecyl-, chloride

- FDA Requirements: The food additive, quaternary ammonium chloride combination, may be safely used in food in accordance with the following conditions: (a) The additive contains the following compounds: ... n-octadecyl dimethyl benzyl ammonium chloride ... (b) The additive meets the following specifications: pH (5% ac

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this substance.

For research-use-only compounds, no CSA is required under REACH Annex I.

16. OTHER INFORMATION

Revision Date: 2026/09/09

Further Information: The information provided is believed to be correct but is not exhaustive and should be used only as a guideline based on current knowledge. It does not represent a guarantee of the properties of the product. Selleck Chemicals Corporation and its Affiliates shall not be held liable for any damage resulting from handling or contact with the product.